



4921

STRUCTURES


FREESTANDING SELF-SUPPORTING ENCLOSURES

Freestanding Retractable Structures are designed to be easily opened and closed, giving you the flexibility of an indoor or outdoor living experience in the same area. Operation can be manual or motorized, utilizing SecurTrak™ system for structural safety and ease of operation.


Freestanding structures are produced for special purposes. These self-supporting structures are widely used in pool enclosures, cafes and restaurants. Advantages continue 12 months a year with open and closed positions in summer and winter time.. Retractable structures have better economic performance and income compared to fixed structures.

There are 5 basic models of Freestanding structures. 2 types of vertical and 3 types of inclined solutions. 70° inclined solutions are for wider clearance. System segments increase according to span. It attracts the attention of architects with its aesthetic design and wide openings.

A wide range of door and window options are available to provide access and ventilation without opening the system.



R1 Retraction / Largest Modules at the End




R2 Retraction / Largest Modules in the Middle



R3 Retraction / Largest Modules at the Fixed End




EF



Freestanding Retractable Full Height Structures

Max Width	:10m (33')
Max Length	:60m (196')
Frames	: 4
Operation	:Motorized or Manual
Glazing	:PC or Glass




4320

DF



Freestanding Retractable Full Height Structures

Max Width	:12m (39')
Max Length	:60m (196')
Frames	: 6
Operation	:Motorized or Manual
Glazing	:PC or Glass



2125

Freestanding Retractable Inclined Walled Full Height Structures




E7



4713

Max Width	:12m (39')
Max Length	:60m (196')
Frames	: 4
Operation	:Motorized or Manual
Glazing	:PC or Glass



Freestanding Retractable Inclined Walled Full Height Structures




D7



3451

Max Width	:16m (52')
Max Length	:60m (196')
Frames	: 6
Operation	:Motorized or Manual
Glazing	:PC or Glass



Freestanding Retractable Structures Inclined Sides




V7



4601

Max Width	:18m (66')
Max Length	:60m (196')
Frames	: 8
Operation	:Motorized or Manual
Glazing	:PC or Glass





Arkilibrant design and fabricates operable architectural systems for discerning architects and professional clients from around the world. Libart's aluminum and glass retractable structures are innovative, functional and aesthetically attractive. They are used in restaurants, cafes, hotels, commercial and residential and industrial facilities. Our commitment to research, design, engineering and manufacturing is based on providing our customers value added retractable structures that offer flexible living and working environments, for any type of weather.

Libart has been serving the architectural industry with operable solutions for over 25+ years, with manufacturing centers located in 4 countries and dealers in more than 40+ countries.

MOTION IN ARCHITECTURE

FACEBOOK.COM/ARKILIBART

To learn more about our systems and projects from around the world please visit us at, www.arkilibrant.com

www.arkilibrant.com
info@arkilibrant.com