

X-SERIES







About X-SERIES

The X-Series highlights the glass component of a partition and minimizes the aluminium frames to create a very lightweight and contemporary appearance.

A beautifully beveled door frame integrates seamlessly with adjacent glass panels.

X-Series answers all the design and technical criteria required of an office compartment.

SYSTEM FEATURES

The overall partition thickness is 105mm

Tolerance +/- 10mm or 30mm overall

Glass panels in 10 or 12mm thickness can be used. JEB recommends using different thicknesses of inside and outside panels to achieve maximum sound reduction. Recommended panel width not to exceed 1200mm for ease of installation

Single glass frames can be easily converted into double glass frames and vice versa within the same installation

Frameless / flush glass details for all vertical joints

No visible mullion at glass joints for single and double glass options

Unique double glazed door incorporating drop seals

Compatible with drywall and demountable solid walls

2 to 5 weeks delivery by air anywhere in the world

Recyclable aluminium components

LAB TEST

Acoustic performance : Double glass partition – STC49

Double glass door – STC31 (fully caulked – STC46)








CURVED OPTIONS

A minimum radius of 1000mm provides freedom to designers/specifiers in creating fluid or pod-like aesthetics in the same visual language as the partition.



DOOR FRAME OPTIONS



Choice of 32mm wide beveled door frame that provides a seamless transition from the partition to the 50mm wide double glazed door or 42mm door frame designed for a flush appearance with the PLUS double glass door.







SWING DOOR OPTIONS



Single glazed



Double glazed 50mm





Double glazed 66mm with veneer inlays







SLIDING DOOR OPTIONS



X-Slider



Pocket X-Slider




Double glazed door



HARDWARE

Hinges should be JEB proprietary offset pivot hinge, available for frameless doors or as heavy duty version for double glazed doors. The hinges come with standard mounting bracket to suit DORMA floor springs. Handles and lockset can be selected from JEB's standard range of hardware.



Concealed floor spring option
for JEB hinges



STANDARD FINISHES

Anodising – matt natural, black and other options available on request

Powdercoating – according to design specifications

PVF2 – According to design specifications.

ACCESSORIES

Manual / electric Venetian Blinds

Custom Glass Designs

Custom screens in partition cavity

Switchable Glass





Singapore

JEB Asia Pte Ltd
T +65 6535 3886
F +65 6535 3678
jebasia@jeb.com.sg

Malaysia

JEB Interiors Sdn Bhd
T +603 2161 8669
F +603 2161 5669
jeb@jeb.com.sg

Hong Kong

JEB Greater China Ltd
T +852 2520 2839
F +852 2861 2089
jeb@jeb.com.hk

Shanghai

JEB (Shanghai) Ltd
T +86 21 5382 0006
F +86 21 5382 0835
shanghai@jeb.com.hk

Beijing

JEB Trading (Beijing) Co Ltd
T +86 10 6583 6618
F +86 10 6581 5161
beijing@jeb.com.hk